



# STAINLESS STEEL 316 BSP

## LOW PRESSURE FITTINGS

**MATERIAL**  
**316/L SS**

**RATING**  
**150 PSI**

**THREAD**  
**BSP**

**STANDARD**  
**BS 2.1**

### MANUFACTURING STANDARDS

Cast fittings manufactured to ASTM A351 | Forged fittings manufactured to ASTM A182 / ASME B16.11

BSP threaded fittings conforming to BS 2.1

Also available in NPT 150PSI, please enquire via [sales@eliteindustrial.com.au](mailto:sales@eliteindustrial.com.au)





## HEX NIPPLE

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBHX-003   | 1/8   |
| SSBHX-006   | 1/4   |
| SSBHX-010   | 3/8   |
| SSBHX-015   | 1/2   |
| SSBHX-020   | 3/4   |
| SSBHX-025   | 1     |
| SSBHX-032   | 1-1/4 |
| SSBHX-040   | 1-1/2 |
| SSBHX-050   | 2     |
| SSBHX-065   | 2-1/2 |
| SSBHX-080   | 3     |
| SSBHX-100   | 4     |
| SSBHX-125   | 5     |
| SSBHX-150   | 6     |

## SOCKET

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBS-003    | 1/8   |
| SSBS-006    | 1/4   |
| SSBS-010    | 3/8   |
| SSBS-015    | 1/2   |
| SSBS-020    | 3/4   |
| SSBS-025    | 1     |
| SSBS-032    | 1-1/4 |
| SSBS-040    | 1-1/2 |
| SSBS-050    | 2     |
| SSBS-065    | 2-1/2 |
| SSBS-080    | 3     |
| SSBS-100    | 4     |
| SSBS-125    | 5     |
| SSBS-150    | 6     |

## REDUCING HEX NIPPLE

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE A | SIZE B |
|-------------|--------|--------|
| SSBRN-0603  | 1/4    | 1/8    |
| SSBRN-1003  | 3/8    | 1/8    |
| SSBRN-1006  | 3/8    | 1/4    |
| SSBRN-1506  | 1/2    | 1/4    |
| SSBRN-1510  | 1/2    | 3/8    |
| SSBRN-2006  | 3/4    | 1/4    |
| SSBRN-2010  | 3/4    | 3/8    |
| SSBRN-2015  | 3/4    | 1/2    |
| SSBRN-2515  | 1      | 1/2    |
| SSBRN-2520  | 1      | 3/4    |
| SSBRN-3220  | 1-1/4  | 3/4    |
| SSBRN-3225  | 1-1/4  | 1      |
| SSBRN-4020  | 1-1/2  | 3/4    |
| SSBRN-4025  | 1-1/2  | 1      |
| SSBRN-4032  | 1-1/2  | 1-1/4  |
| SSBRN-5020  | 2      | 3/4    |
| SSBRN-5025  | 2      | 1      |
| SSBRN-5032  | 2      | 1-1/4  |
| SSBRN-5040  | 2      | 1-1/2  |
| SSBRN-6550  | 2-1/2  | 2      |
| SSBRN-8050  | 3      | 2      |
| SSBRN-8065  | 3      | 2-1/2  |
| SSBRN-10050 | 4      | 2      |
| SSBRN-10065 | 4      | 2-1/2  |
| SSBRN-10080 | 4      | 3      |

## REDUCING SOCKET

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE A | SIZE B |
|-------------|--------|--------|
| SSBRS-1006  | 3/8    | 1/4    |
| SSBRS-1506  | 1/2    | 1/4    |
| SSBRS-1510  | 1/2    | 3/8    |
| SSBRS-2010  | 3/4    | 3/8    |
| SSBRS-2015  | 3/4    | 1/2    |
| SSBRS-2510  | 1      | 3/8    |
| SSBRS-2515  | 1      | 1/2    |
| SSBRS-2520  | 1      | 3/4    |
| SSBRS-3215  | 1-1/4  | 1/2    |
| SSBRS-3220  | 1-1/4  | 3/4    |
| SSBRS-3225  | 1-1/4  | 1      |
| SSBRS-4015  | 1-1/2  | 1/2    |
| SSBRS-4020  | 1-1/2  | 3/4    |
| SSBRS-4025  | 1-1/2  | 1      |
| SSBRS-4032  | 1-1/2  | 1-1/4  |
| SSBRS-5015  | 2      | 1/2    |
| SSBRS-5020  | 2      | 3/4    |
| SSBRS-5025  | 2      | 1      |
| SSBRS-5032  | 2      | 1-1/4  |
| SSBRS-5040  | 2      | 1-1/2  |
| SSBRS-6550  | 2-1/2  | 2      |
| SSBRS-8050  | 3      | 2      |
| SSBRS-8065  | 3      | 2-1/2  |
| SSBRS-10080 | 4      | 3      |



# REDUCING BUSH

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER  | SIZE A | SIZE B |
|--------------|--------|--------|
| SSBRB-0603   | 1/4    | 1/8    |
| SSBRB-1003   | 3/8    | 1/8    |
| SSBRB-1006   | 3/8    | 1/4    |
| SSBRB-1503   | 1/2    | 1/8    |
| SSBRB-1506   | 1/2    | 1/4    |
| SSBRB-1510   | 1/2    | 3/8    |
| SSBRB-2006   | 3/4    | 1/4    |
| SSBRB-2010   | 3/4    | 3/8    |
| SSBRB-2015   | 3/4    | 1/2    |
| SSBRB-2506   | 1      | 1/4    |
| SSBRB-2510   | 1      | 3/8    |
| SSBRB-2515   | 1      | 1/2    |
| SSBRB-2520   | 1      | 3/4    |
| SSBRB-3220   | 1-1/4  | 3/4    |
| SSBRB-3225   | 1-1/4  | 1      |
| SSBRB-4020   | 1-1/2  | 3/4    |
| SSBRB-4025   | 1-1/2  | 1      |
| SSBRB-4032   | 1-1/2  | 1-1/4  |
| SSBRB-5020   | 2      | 3/4    |
| SSBRB-5025   | 2      | 1      |
| SSBRB-5032   | 2      | 1-1/4  |
| SSBRB-5040   | 2      | 1-1/2  |
| SSBRB-6532   | 2-1/2  | 1-1/4  |
| SSBRB-6540   | 2-1/2  | 1-1/2  |
| SSBRB-6550   | 2-1/2  | 2      |
| SSBRB-8050   | 3      | 2      |
| SSBRB-8065   | 3      | 2-1/2  |
| SSBRB-10050  | 4      | 2      |
| SSBRB-10065  | 4      | 2-1/2  |
| SSBRB-10080  | 4      | 3      |
| SSBRB-125100 | 5      | 4      |
| SSBRB-150100 | 6      | 4      |
| SSBRB-150125 | 6      | 5      |



# HEX CAP

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBHC-003   | 1/8   |
| SSBHC-006   | 1/4   |
| SSBHC-010   | 3/8   |
| SSBHC-015   | 1/2   |
| SSBHC-020   | 3/4   |
| SSBHC-025   | 1     |
| SSBHC-032   | 1-1/4 |
| SSBHC-040   | 1-1/2 |
| SSBHC-050   | 2     |
| SSBHC-065   | 2-1/2 |
| SSBHC-080   | 3     |
| SSBHC-100   | 4     |

# HEX PLUG

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBHP-003   | 1/8   |
| SSBHP-006   | 1/4   |
| SSBHP-010   | 3/8   |
| SSBHP-015   | 1/2   |
| SSBHP-020   | 3/4   |
| SSBHP-025   | 1     |
| SSBHP-032   | 1-1/4 |
| SSBHP-040   | 1-1/2 |
| SSBHP-050   | 2     |
| SSBHP-065   | 2-1/2 |
| SSBHP-080   | 3     |
| SSBHP-100   | 4     |



## 90° ELBOW F/F

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBEF-003   | 1/8   |
| SSBEF-006   | 1/4   |
| SSBEF-010   | 3/8   |
| SSBEF-015   | 1/2   |
| SSBEF-020   | 3/4   |
| SSBEF-025   | 1     |
| SSBEF-032   | 1-1/4 |
| SSBEF-040   | 1-1/2 |
| SSBEF-050   | 2     |
| SSBEF-065   | 2-1/2 |
| SSBEF-080   | 3     |
| SSBEF-100   | 4     |

## 90° ELBOW M/F

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBEMF-003  | 1/8   |
| SSBEMF-006  | 1/4   |
| SSBEMF-010  | 3/8   |
| SSBEMF-015  | 1/2   |
| SSBEMF-020  | 3/4   |
| SSBEMF-025  | 1     |
| SSBEMF-032  | 1-1/4 |
| SSBEMF-040  | 1-1/2 |
| SSBEMF-050  | 2     |
| SSBEMF-065  | 2-1/2 |
| SSBEMF-080  | 3     |
| SSBEMF-100  | 4     |



## 45° ELBOW F/F

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBEF4-006  | 1/4   |
| SSBEF4-010  | 3/8   |
| SSBEF4-015  | 1/2   |
| SSBEF4-020  | 3/4   |
| SSBEF4-025  | 1     |
| SSBEF4-032  | 1-1/4 |
| SSBEF4-040  | 1-1/2 |
| SSBEF4-050  | 2     |
| SSBEF4-065  | 2-1/2 |
| SSBEF4-080  | 3     |
| SSBEF4-100  | 4     |

## 45° ELBOW M/F

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBEMF4-003 | 1/8   |
| SSBEMF4-006 | 1/4   |
| SSBEMF4-010 | 3/8   |
| SSBEMF4-015 | 1/2   |
| SSBEMF4-020 | 3/4   |
| SSBEMF4-025 | 1     |
| SSBEMF4-032 | 1-1/4 |
| SSBEMF4-040 | 1-1/2 |
| SSBEMF4-050 | 2     |
| SSBEMF4-065 | 2-1/2 |
| SSBEMF4-080 | 3     |



## Y-PIECE

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBY-006    | 1/4   |
| SSBY-010    | 3/8   |
| SSBY-015    | 1/2   |
| SSBY-020    | 3/4   |
| SSBY-025    | 1     |
| SSBY-032    | 1-1/4 |
| SSBY-040    | 1-1/2 |
| SSBY-050    | 2     |
| SSBY-065    | 2-1/2 |
| SSBY-080    | 3     |
| SSBY-100    | 4     |

## FEMALE/MALE ADAPTOR

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE A | SIZE B |
|-------------|--------|--------|
| SSBFM-0603  | 1/4    | 1/8    |
| SSBFM-0606  | 1/4    | 1/4    |
| SSBFM-1003  | 3/8    | 1/8    |
| SSBFM-1006  | 3/8    | 1/4    |
| SSBFM-1010  | 3/8    | 3/8    |
| SSBFM-1506  | 1/2    | 1/4    |
| SSBFM-1510  | 1/2    | 3/8    |
| SSBFM-1515  | 1/2    | 1/2    |
| SSBFM-2006  | 3/4    | 1/4    |
| SSBFM-2010  | 3/4    | 3/8    |
| SSBFM-2015  | 3/4    | 1/2    |
| SSBFM-2020  | 3/4    | 3/4    |
| SSBFM-2515  | 1      | 1/2    |
| SSBFM-2520  | 1      | 3/4    |
| SSBFM-2525  | 1      | 1      |
| SSBFM-3220  | 1-1/4  | 3/4    |
| SSBFM-3225  | 1-1/4  | 1      |
| SSBFM-3232  | 1-1/4  | 1-1/4  |
| SSBFM-4020  | 1-1/2  | 3/4    |
| SSBFM-4025  | 1-1/2  | 1      |
| SSBFM-4032  | 1-1/2  | 1-1/4  |
| SSBFM-4040  | 1-1/2  | 1-1/2  |
| SSBFM-5025  | 2      | 1      |
| SSBFM-5032  | 2      | 1-1/4  |
| SSBFM-5040  | 2      | 1-1/2  |
| SSBFM-5050  | 2      | 2      |



## 3PCE UNION F/F

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBUF-003   | 1/8   |
| SSBUF-006   | 1/4   |
| SSBUF-010   | 3/8   |
| SSBUF-015   | 1/2   |
| SSBUF-020   | 3/4   |
| SSBUF-025   | 1     |
| SSBUF-032   | 1-1/4 |
| SSBUF-040   | 1-1/2 |
| SSBUF-050   | 2     |
| SSBUF-065   | 2-1/2 |
| SSBUF-080   | 3     |
| SSBUF-100   | 4     |

## 3PCE UNION M/F

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBUMF-015  | 1/2   |
| SSBUMF-020  | 3/4   |
| SSBUMF-025  | 1     |
| SSBUMF-032  | 1-1/4 |
| SSBUMF-040  | 1-1/2 |
| SSBUMF-050  | 2     |



## EQUAL TEE F/F/F

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBT-003    | 1/8   |
| SSBT-006    | 1/4   |
| SSBT-010    | 3/8   |
| SSBT-015    | 1/2   |
| SSBT-020    | 3/4   |
| SSBT-025    | 1     |
| SSBT-032    | 1-1/4 |
| SSBT-040    | 1-1/2 |
| SSBT-050    | 2     |
| SSBT-065    | 2-1/2 |
| SSBT-080    | 3     |
| SSBT-100    | 4     |

## CROSS F/F/F/F

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBC-006    | 1/4   |
| SSBC-010    | 3/8   |
| SSBC-015    | 1/2   |
| SSBC-020    | 3/4   |
| SSBC-025    | 1     |
| SSBC-032    | 1-1/4 |
| SSBC-040    | 1-1/2 |
| SSBC-050    | 2     |
| SSBC-065    | 2-1/2 |
| SSBC-080    | 3     |
| SSBC-100    | 4     |



## FEMALE THREADED HOSETAILS

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE  |
|-------------|-------|
| SSBHTF-003  | 1/8   |
| SSBHTF-006  | 1/4   |
| SSBHTF-010  | 3/8   |
| SSBHTF-015  | 1/2   |
| SSBHTF-020  | 3/4   |
| SSBHTF-025  | 1     |
| SSBHTF-032  | 1-1/4 |
| SSBHTF-040  | 1-1/2 |
| SSBHTF-050  | 2     |
| SSBHTF-065  | 2-1/2 |
| SSBHTF-080  | 3     |
| SSBHTF-100  | 4     |

## MALE THREADED HOSETAILS - STRAIGHT

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE A | SIZE B |
|-------------|--------|--------|
| SSBHT-003   | 1/8    | 1/8    |
| SSBHT-006   | 1/4    | 1/4    |
| SSBHT-010   | 3/8    | 3/8    |
| SSBHT-015   | 1/2    | 1/2    |
| SSBHT-020   | 3/4    | 3/4    |
| SSBHT-025   | 1      | 1      |
| SSBHT-032   | 1-1/4  | 1-1/4  |
| SSBHT-040   | 1-1/2  | 1-1/2  |
| SSBHT-050   | 2      | 2      |
| SSBHT-065   | 2-1/2  | 2-1/2  |
| SSBHT-080   | 3      | 3      |
| SSBHT-100   | 4      | 4      |

## MALE THREADED HOSETAILS – REDUCING

316/L STAINLESS STEEL • BSP THREADED • 150 PSI



| PART NUMBER | SIZE A | SIZE B |
|-------------|--------|--------|
| SSBHT-0608  | 1/4    | 5/16   |
| SSBHT-0610  | 1/4    | 3/8    |
| SSBHT-0615  | 1/4    | 1/2    |
| SSBHT-1015  | 3/8    | 1/2    |
| SSBHT-1510  | 1/2    | 3/8    |
| SSBHT-1516  | 1/2    | 5/8    |
| SSBHT-1520  | 1/2    | 3/4    |
| SSBHT-1525  | 1/2    | 1      |
| SSBHT-2015  | 3/4    | 1/2    |
| SSBHT-2016  | 3/4    | 5/8    |
| SSBHT-2025  | 3/4    | 1      |
| SSBHT-2520  | 1      | 3/4    |
| SSBHT-2532  | 1      | 1-1/4  |
| SSBHT-3225  | 1-1/4  | 1      |
| SSBHT-3240  | 1-1/4  | 1-1/2  |
| SSBHT-4025  | 1-1/2  | 1      |
| SSBHT-4032  | 1-1/2  | 1-1/4  |
| SSBHT-4045  | 1-1/2  | 1-3/4  |
| SSBHT-4050  | 1-1/2  | 2      |
| SSBHT-5025  | 2      | 1      |
| SSBHT-5040  | 2      | 1-1/2  |
| SSBHT-5065  | 2      | 2-1/2  |
| SSBHT-6580  | 2-1/2  | 3      |
| SSBHT-80100 | 3      | 4      |